	Application No.	Applicant(s)
Notice of Allowability	Application No.	Applicant(s)
	10/773,743	ISHIKAWA ET AL.
	Examiner	Art Unit
	Rodney T. Frank	2856
The MAILING DATE of this communication apply All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this or other appropriate communications. This application is subjection.	s application. If not included ation will be mailed in due course. THIS
1. 🖂 This communication is responsive to the election on 06 Ma	arch 2007.	
2. The allowed claim(s) is/are 2-5,7,9 and 11.		
 3. Acknowledgment is made of a claim for foreign priority unerstanding a) All b) Some* c) None of the: 1. Certified copies of the priority documents have 		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be subminformal PATENT APPLICATION (PTO-152) which give		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner' Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
	·	
Attachment(s)	5 D Nation of Inform	al Datant Application
 Notice of References Cited (PTO-892) Dotice of Draftperson's Patent Drawing Review (PTO-948) 	5. Notice of Inform	• •
2. Notice of Draftperson's Patent Drawing Review (P10-946)	6. ☐ Interview Sumn Paper No./Mail	
3. Information Disclosure Statements (PTO/SB/08),	7. 🛛 Examiner's Am	
Paper No./Mail Date 7/25/05 & 2/26/04 4. Examiner's Comment Regarding Requirement for Deposit	8. 🛛 Examiner's Stat	ement of Reasons for Allowance
of Biological Material	9.	

DETAILED ACTION

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

In the Claims:

Please cancel claims 1, 6, 8, and 10

Election/Restrictions

- 2. Claims 1, 6, 8, and 10 are withdrawn from further consideration pursuant to 37 CFR 1.142(b) as being drawn to a nonelected apparatus, there being no allowable generic or linking claim. Election was made **without** traverse in the reply filed on 06 March 2007.
- 3. This application is in condition for allowance except for the presence of claims 1, 6, 8, and 10 directed to an apparatus non-elected without traverse. Accordingly, claims 1, 6, 8, and 10 have been cancelled.

Priority

4. Acknowledgment is made of applicant's claim for foreign priority based on an application filed in Japan on 17 September 2003. It is noted, however, that applicant has not filed a certified copy of the foreign application as required by 35 U.S.C. 119(b).

Application/Control Number: 10/773,743

Art Unit: 2856

Allowable Subject Matter

Page 3

5. Claims 2-5, 7, 9, and 11 are allowed.

6. The following is an examiner's statement of reasons for allowance: an apparatus with an ejector for ejecting gas from a recovery unit, a fine particle collector in opposing relation causing a collision between said fine particles in said gas, in combination with all other limitations of the independent claims, is not disclosed nor deemed obvious in view of the prior art of record.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

7. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. The examiner has cited references that are deemed to be relevant to the general state of the art of the present invention.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Rodney T. Frank whose telephone number is (571) 272-2193. The examiner can normally be reached on M-F 9-5:30 p.m. EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Hezron E. Williams can be reached on (571) 272-2208. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/773,743 Page 4

Art Unit: 2856

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

RTF April 16, 2007

> HEZRÖN WILLIAMS SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 2800

. Willie